

2020 NRA Action Pistol Rule Changes

ADDED - 3.2.4 Production Optic Firearm – Same configuration as a Production Firearm in Rule 3.2.2 with the exception of addition of an optic and that revolvers are not allowed. The following will apply:

- a. Pistol must be able to fit into Production Box if optic is removed
- b. Optical and or electrical sights must be attached only to the slide between the ejection port and the rear of the slide

ADDED - 3.8 Stocks – Any stock designed to add additional support from any other part of the body other than the hands or to fire from the shoulder is not permitted.

AMENDED – Rule 13.1 – Physically Disabled Shooters – A shooter who because of physical disability cannot fire from one or more of the prescribed shooting positions outlined in these Rules, or who must use special equipment when firing, is privileged to petition the NRA Protest Committee for permission to assume a special position or to use modified equipment, or both. The petition shall consist of a form provided by the NRA and shall specify in detail the reasons why the special position must be assumed or the special equipment must be used. The petition will be accompanied by pictures of the shooter in the position he desires approved and, if special equipment is required, the picture will show how this equipment is used. The petition and all pictures must be furnished in exact duplicate. The petition must be accompanied by a medical doctor's statement if the physical disability is not completely evident in the pictures submitted.

ADDED – 17.5 (q) Texas Moving Target Event